MYSTAR®
TOTAL LOGISTIC SOLUTIONS

PRESTAR MARKETING SDN BHD 765804-X

# WorkPlace

## Safety Protection Products

Provides vehicle crash impact protection from forklifts and light vehicles.

## Crash Impact Flexible Bollard

The safety barriers can effectively buffer the impact of forklifts and other light vehicles, provide long-term reliable protection for building and other facilities, it also eliminate problems such as collision deformation and ground damage, so that your factory bid farewell to secondary maintenance, which also eliminates expensive maintenance costs and potential protective neutral gear.

# Bollard

**Crash impact Safety Bollard** Certified to CE and TUV Standards

## About this product:

The Bollards are a multi-functional product that widely used in many industrial places, which as warehouse,commercial places,public environments,protect structures,industrial doors,people,equipment from impact damage.
Strong and durable,the Yellow color is highly visible to driver's attention to safe driving.



| Model:Bollard130 |
|---|
| **Height:**800/1150mm |
| **Post:** $\phi$ 130mm |
| **BasePlate:**170*170*10mm |
| **Impact Energy:**3000 Joule |
| 1.5tons Forklift hit at 5.5km/h |

| Model:Bollard168 |
|---|
| **Height:**800/1150mm |
| **Post:** $\phi$ 168mm |
| **BasePlate:**200*200*10mm |
| **Impact Energy:**3600 Joule |
| 4tons Forklift hit at 4.8km/h |



| Model:Bollard190 |
|---|
| **Height:** 800/1150mm |
| **Post:** $\phi$ 190mm |
| **BasePlate:**230*230*14mm |
| **Impact Energy:**6900 Joule |
| 6tons Forklift hit at 5.5km/h |

| Impact Test | Impact Test (Joule ) | Vehicle Weight and Speed | Temperature Range |
|---|---|---|---|
| | 90° | | |
| BO 130 | 3000 | 1.5tons Forklift hit at 5.5km/h | -10~50℃ |
| BO 168 | 3600 | 3.0tons Forklift hit at 5.6km/h | -10~50℃ |
| BO 190 | 6900 | 6.0tons Forklift hit at 5.5km/h | -10~50℃ |

## Solutions With:

1.Car

2.Pedestrian Truck

3.Forklift

4.Forklift Truck

## BO130

## BO168

## BO190

## Field Case