





Visit our Channel

ELECTRICAL STAIR CLIMBER

STAIRS MOBILITY



CT105C

Max Capacity

105_{kg}



Light Load

- Model: CT105
- Item Weight: 14.5KG
- Battery Capacity: 30-40 Hours (800 steps)
- Low Speed: 25 Steps/Min
- High Speed: 35 Steps/Min
- Motor Type: DC Motor
- Noise Volume: <70dB
- Protection Grade: IP54
- Staircase Requirement: Height <210MM, Depth <250MM
- Charging Time: 2.5 Hours



Visit our Channel



CT150PB

Max Capacity

150kg



Light Load

- Model: 150PB
- Item Weight: 28.7KG
- Battery Capacity: 1128-1353 Steps (78-84 Floors)
- Low Speed: 22 Steps/Min
- High Speed: 30 Steps/Min
- Brake: YES
- Noise Volume: <70dB
- Protection Grade: IP54
- Staircase Requirement: Height <210MM, Depth <250MM
- Charging Time: 2.5 Hours



Visit our Channel



LFC170F3

Max Capacity

170kg



Light Load

- Model: LFC170F3
- Item Weight: 53.8KG
- Battery Capacity: Cargo Lifting Times: 200 Times, Flat Surface Moving: About 3 Hours
- Battery Capacity: Slopes Moving: About 1 Hour
- Lifting Stroke: 800MM
- Loading Plate Maximum Height: 820MM
- Moving Motor Output: 48V 500W
- Motor Brake: YES
- Noise Level: <70dB
- Protection Grade: IP33



Visit our Channel



SCL170AC

Max Capacity

170kg

Light Load

- Model: SCL170AC
- Item Weight: 54.8KG
- Lifting & Climbing Capacity: 170KG
- Lifting Times: 320-370 Times
- Max Lifting Height: 1025 MM
- Lifting Stroke: 1000 MM
- Lifting Speed: 31 s/m
- Battery Capacity: 930~1870 Steps (52~117 Floors)
- Climbing Speed: 22-36 steps/min
- Brake: YES
- Noise: <70dB
- Protection Grade: IP54
- Step Requirement: Height <210 MM, Width >250MM
- Size: 1410 x 585 x 650 MM



Visit our Channel



CT200S

Max Capacity

200kg



Light Load

- Model: CT200S
- Item Weight: 75.3KG
- Battery Capacity: 1142 Steps
- Climbing Speed: 33 Steps/Min
- Step Angle: 25°~33°
- Minimum Platform Size: 1830X1830MM(Stairs Corner)
- Noise Volume: <70dB
- Protection Grade: IP33
- Step Height: <21CM
- Charging Time: 2.5 Hours



Visit our Channel



ZW7250GC

Max Capacity
250kg



Medium Load

- Model: ZW7250GC
- Item Weight: 28.7KG
- Battery Capacity: 1128-1353 Steps (78-84 Floors)
- Low Speed: 22 Steps/Min
- High Speed: 30 Steps/Min
- Brake: YES
- Noise Volume: <70dB
- Protection Grade: IP54
- Staircase Requirement: Height <210MM, Depth <250MM
- Charging Time: 2.5 Hours



Visit our Channel



ZW4250

Max Capacity

250kg



Medium Load

- Model: ZW4250
- Item Weight: 35KG
- Material: Carbon Steel
- Battery Capacity: 674-1348 Steps (38-84 Floors)
- Climbing Speed: 30 Steps/Min
- Motor Type: DC Motor
- Noise Volume: 85dB
- Protection Grade: IP33
- Staircase Requirement: Height <210MM, Width <250MM
- Charging Time: 2.5 Hours



Visit our Channel



CT420SC

Max Capacity

420kg



Heavy Load

- Model: CT420SC
- Item Weight: 107KG
- Battery Capacity: 1400-1600 Steps (78-100 Floors)
- Slow Speed: 14.6 Steps/Min
- Fast Speed: 15.4 Steps/Min
- Battery Parameter: 25.2V 17Ah
- Staircase Height: <210MM
- Minimum Platform: 1500 x 1500 MM(Turning Platform)
- Protection Grade: IP54
- Noise: <70dB
- Charging Time: 4.5 Hours
- Size: 1150~ 1640 x 614 x 1170 MM



Visit our Channel



CT310

Max Capacity

310_{kg}



Heavy Load

- Model: CT310
- Item Weight: 72KG
- Battery Capacity: 1400~1600 Steps (78~100 Floors)
- Slow Speed: 14.6 Steps/Min
- Fast Speed: 15.4 Steps/Min
- Battery Parameters: 25.2V 17.5Ah
- Control Method: Wired Joystick
- Staircase Height: <210MM
- Minimum Platform: 1500 x 1500 MM (Turning Platform)
- Charging Time: 4.5 Hours



Visit our Channel

ELECTRICAL CLIMBER

APPLICATION SCENARIO



APPLICATIONS



Residential Building



Office



Community



Supermarket



Airport



Hospital



Garden



Factory

Ease Your Way To Every Stair!



1



2



3

