



## **HEIGHT ACCESS**

## WINSTON INDUSTRIAL 150KG STEP ALUMINIUM DOUBLE SIDED LADDER



Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating



The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/iob.



Large aluminium top steps with slip-resistant standing surface



Hydraulic combination double hole for durability and long lasting



Inside spreader braces (hinges) and heavy duty gusset bracing. Spreader braces inside metal rails help protect braces from getting hooked or abused in transit



Heavy duty polypropylene copolymer boots provides strength, durability and rail surface protection

STOCK CODE	STEPS	FOLDED HEIGHT	OPENED HEIGHT	WEIGHT
W05-WDS-05	5	4.14 FT / 1262 MM	3.93 FT / 1196 MM	4.6 KG
W05-WDS-06	6	5.02 FT / 1529 MM	4.75 FT / 1448 MM	5.8 KG
W05-WDS-07	7	5.85 FT / 1783 MM	5.61 FT / 1709 MM	6.5 KG
W05-WDS-08	8	6.70 FT / 2042 MM	6.44 FT / 1963 MM	7.4 KG
W05-WDS-09	9	7.55 FT / 2301 MM	7.26 FT / 2212 MM	8.1 KG
W05-WDS-10	10	8.45 FT / 2576 MM	8.03 FT / 2446 MM	9.3 KG
W05-WDS-12	12	10.13 FT / 3086 MM	9.72 FT / 2962 MM	11.3 KG

VERSION DATE: 8/7/25